

# PCA® Spray Careguard® Faucet Attachment - 0.5 gpm max Pressure Compensating Junior Size




flow, stop and go®

## Features and Benefits

- ▶ With built-in Agion® antimicrobial product technology.
- ▶ Watercolours® design: Color coding to identify flow rate and stream pattern.
- ▶ Provides a non-splashing, non-aerated spray.
- ▶ Pressure compensating for constant flow from 20 to 80 psi.
- ▶ Recommended for use in healthcare facilities to prevent mixing air and water.
- ▶ Anti-clogging dome screen filters sediment and particles.
- ▶ Available housing finishes: chrome and polished brass.
- ▶ Roll marked with statutory marks or laser for vandal proof housings.

## Certifications

ANSI/NSF®-61-372 (14 078 pending)  
ASME A112.18.1M and CSA B125 (14 078 pending)  
Meets **CALGreen** requirements



Thread & Part Number		
Part #	Designation	Thread Size
14 065	Insert only	
14 070	Junior male	13/16"-27
14 080	Junior female	3/4"-27
14 078	Junior dual thread	13/16"-27 x 3/4"-27
14 074	Vandal proof junior male	13/16"-27
14 084	Vandal proof junior female	3/4"-27
14 059	Vandal proof junior dual thread	13/16"-27 x 3/4"-27

Other product combinations available.


## Packaging:

Inserts *1 pc (bag), 6 pcs (bag), 50 pcs (bag)*  
 Jr. male/female/dual thread *1 pc (bag), 6 pcs (tube), 50 pcs (tray)*  
 Jr. vandal proof dual thread *1 pc (bag), 6 pcs (clamshell), 50 pcs (tray)*  
 Jr. vandal proof male/female *1 pc (bag), 6 pcs (tube), 50 pcs (tray)*

## Color Code

Dome	Flow Regulator	Basket
Light Gray	Lime Green	Light Gray

## Flow Rate Curve



Dimensions		
No	mm	In
A	18.2	.717
B	10.35	.407
C	17.45	.687
D	≈ 22	≈ 7/8

## Housings



## Technical Data

Materials: Body Acetal with Agion®  
 O-ring EPDM  
 Washer EPDM

Continuous		Short-term (5 minutes max.) Per ASME A112.18.1 testing requirements.	
max. 60 °C	max. 140 °F	max. 70 °C	max. 160 °F
90 psi max.	6.2 bar max.	125 psi max.	8.5 bar max.

CARE-4

NEOPERL, Inc., Waterbury, CT • Tel: 203-756-8437 • Fax: 203-574-2107 • www.neoperl.com

January 2023 - Information subject to change without notice