



SECTION 1 - IDENTIFICATION

Manufacturer: UTILITY

700 Main Street Westbury, NY 11590

Telephone: 1-516-997-6300

Fax: 1-516-997-6345

Web Site: www.UtilityChemicals.com

E-mail: info@UtilityChemical.com

Product Name:

Best Super Safe-A-Way Heavy Duty

Drain Opener #98655

For any transportation or medical chemical emergencies call:

INFOTRAC

(800) 535-5053

24 hours per day - 7 days a week

Recommended Use:

For clearing drains of hair, grease, paper, lint and organic matter.

SECTION 2 - HAZARD(S) IDENTIFICATION NFPA HMIS Label HEALTH HAZARD FIRE HAZARD Flash Points 4 Deadly 4 Below 73°F (Boiling pt. below 100°F) 3 Extreme Danger 3 Below 73°F (Boiling pt. at/above 100°F) 2 Hazardous and/or at/above 73 °F - not exceeding 100 °F 0 Minimal Hazard HEALTH 3 1 Slightly Hazardous 2 Above 100 °F, Not exceeding 200 °F 1 Slight Hazard 0 Normal Mate 1 Above 200 °F **FLAMMABILITY** 2 Moderate Hazard 0 Corrosive **Poison** Will not burn 3 Serious Hazard 1 3 REACTIVITY 4 Severe Hazard INSTABILITY 4 May detonate PPE H 3 Shock and heat may detonate SPECIFIC HAZARD 2 Violent chemical changes Oxidizer 1 Unstable if heated Use NO WATER 0 Stable Simple Asphyxiant Health **Environmental Physical** Acute Toxicity: Cat. 5 Skin Corrosion: Acute Toxicity: Flammability: Cat. 1 N/A N/A Cat. 2B Chronic Toxicity: N/A Eye Irritation: Other: N/A Skin Sensitization: NO **Hazardous Statement Precautionary Statement** Danger - Poison: Causes severe burns. Avoid contact with skin and eyes. Harmful or fatal if swallowed. Keep out of reach of children. Do not allow to be taken internally. Protect face (especially eyes) and other parts of body when using.

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

 Hazardous Chemicals
 CAS #
 EINECS#
 Approx %

 POTASSIUM HYDROXIDE
 1310-58-3
 215-181-3
 5-50%

 SODIUM HYDROXIDE
 1310-72-2
 215-185-5
 5-50%

*Title III Section 313 Supplier Notification: This product contains toxic chemicals subject to the reporting requirement of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and of 40CFR372. This information must be included in all MSDS's that are copied and distributed for this material.

SAFETY DATA SHEET

SECTION 4 - FIRST-AID MEASURES

Inhalation: Remove from further exposure. Keep warm and at rest. If not breathing, give artificial respiration. If breathing is difficult,

trained personnel should administer oxygen. Seek immediate medical attention.

Skin: Remove contaminated clothing including shoes and immediately wash affected area with plenty of soap and water.

Seek immediate medical attention. Wash contaminated clothing and shoes before reuse.

Eyes: Immediately flush eyes with plenty of water for two to three minutes. Remove any contact lenses and continue flushing

for 15 minutes. Get immediate medical attention.

Ingestion: Wash out mouth with water, keep at rest. Seek immediate medical attention. DO NOT induce vomiting unless directed

to do so by medical personnel.

SECTION 5 - FIRE-FIGHTING MEASURES					
Extinguishing Media		Specific Hazards	Protective Equipment		
Suitable Water Spray Dry Chemical Standard Agents	<u>Unsuitable</u> 	Sodium Hydroxide will react with metals such as aluminum, tin, and zinc to generate flammable and explosive hydrogen gas.	Self-contained breathing apparatus {(SCBA), MSHA/NIOSH}. Full protective gear.		

Special Firefighting Procedures

Avoid direct contact of Sodium Hydroxide with water, as this can produce a violent exothermic reaction. Use water to cool containers exposed to fire. Contact with reactive metals may result may result in the generation of flammable gas.

Personal Precautions:	None.	
Protective Equipment:	None.	
Emergency Procedures:	None.	
Environmental Precautions:	Keep out of water sources and sewers.	
Methods for Cleaning-Up:	If possible, dike spill and mop or pump into plastic or lacquer lined drums, label "Corrosive" and store away from heat and out of direct sunlight. Residual may be neutralized with citric acid.	
Other Precautions:	None.	

SECTION 7 - HANDLING AND STORAGE				
<u>Handling</u>	Storage			
Wear appropriate personal protective equipment when handling Sodium Hydroxide and Potassium Hydroxide.	Store in a dry place in accordance with 29 CFR 1910.106 and away from acids, metals, explosives, organic compounds and flammable materials. Do not store in containers made from tin, aluminum, zinc and alloys containing these metals.			

SAFETY DATA SHEET

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION OSHA Exposure Limits Hazardous Components ACGIH-TLV OSHA-PEL POTASSIUM HYDROXIDE 2 mg/m3 N/A SODIUM HYDROXIDE 2 mg/m3 3 mg/m3 **Personal Protective Equipment Respiratory Protection:** Use NIOSH approved respirators to prevent overexposure. Ventilation: Local ventilation is adequate. Other Protective Equipment: Protective Gloves Eyes and Face Protection Other Protective Equipment Neoprene/Chemical Resistant Gloves. Chemical Safety Goggles Chemical Suit, Rubber Boots. and Face Shield. Other Precautions: None. **Engineering Controls** Avoid contact with face and skin. Cleanse skin thoroughly after contact, before meals and at end of work period.

Impervious chemical resistant clothing should be worn.

SECTION 9 - PHYSICAL & CHEMICAL PROPERTIES Appearance: Clear Volatile by Volume: N/A Odor: Odorless Vapor Pressure: N/A Odor Threshold: N/A Vapor Density: N/A pH: **Relative Density:** N/A Solubility: Melting/Freezing Point: N/A / N/A Complete **Boiling Point:** 265°F Partition Coefficient: n-octanol/water: N/A **Boiling Range: Auto-ignition Temperature:** N/A N/A Flash Point: N/A Specific Gravity (H20=1): 1.44 **Evaporation Rate:** N/A Viscosity: N/A Flammability: N/A VOC: 0 g/l Flammability Limits: LEL: N/A; UEL: N/A

SECTION 10 - STABILITY AND REACTIVITY				
Stability Stable Unstable	Hazardous Polymerization May Occur Will Not Occur	<u>Conditions To Avoid</u> Mixing with water, acid, or incompatible materials can cause splattering and release of large amounts of heat.		
Incompatible Materials		Hazardous Decomposition Products		
Acids, aluminum, tin, zinc, and alloys containing these metals, iron, copper, wool, leather, clothing materials, organic chemicals such as nitrocarbons and halogenated hydrocarbons, carbohydrates, phosphorous, explosives and organic peroxides.		Carbon monoxide with carbohydrates, hydrogen with aluminum, tin and zinc.		

SAFETY DATA SHEET

SECTION 11 - TOXICOLOGICAL INFORMATION				
Likely Routes of Exposure Symptoms/Effects				
Inhalation	✓	Causes respiratory irritation which may develop into serious lupon the degree of exposure.	ung injury depending	
Skin Contact	✓	Corrosive. Can cause severe skin burns. Irritation may not be immediately painful. Greater exposure results in severe burns with scarring.		
Eye Contact	✓	Corrosive. Can cause severe eye burns. Contact results in im cause permanent eye damage including blindness.	mediate pain and can	
Ingestion	✓	Corrosive. Contact will cause severe burns of the mouth, throat and stomach.		
Long-Term Effects: N/A				
<u>Toxicity</u>				
Hazardous Components		<u>LD50</u>	<u>LC50</u>	
POTASSIU	M HYDROXIDE	Oral: 365 mg/kg (rat)	N/A	
SODIUM HYDROXIDE		Oral: 500 mg/kg (rabbit)	N/A	

SECTION 12 - ECOLOGICAL INFORMATION		
Ecotoxicity:	None.	
Persistance & Degradability:	None.	
Bioaccumulative Potential:	None.	
Mobility in Soil:	None.	
Other Adverse Effects:	None.	

SECTION 13 - DISPOSAL CONSIDERATIONS Disposal should be made in accordance with federal, state and local regulations.

SECTION 14 - TRANSPORTATION INFORMATION

Shipping Information

Shipping Name: Sodium Hydroxide, Solution

Hazardous Class: 8

I.D. Number: UN1824

Packing Group:

Label Required: Corrosive

Marine Pollutant: No

Exception: This product, when packaged and distributed in a quantity and form intended or suitable for retail sale and designed

for consumption by individuals for their personal care or household use purposes, may qualify as a "Consumer Commodity". As such, it can then be exempted from certain

labeling, packaging and shipping requirements.

SECTION 15 - REGULATORY INFORMATION

None.

SECTION 16 - OTHER INFORMATION

Disclaimer: Revision Date: 2016-04-07

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Information on this form is furnished solely for the purpose of compliance with the Occupational Safety and Health Act and shall not be used for any other purpose. UTILITY urges the customers receiving this Safety Data Sheet to study it carefully to become aware of the hazards, if any, of the product involved. In the interest of safety, you should notify your employees, agents, and contractors of the information on the sheets. The information herein has been compiled from sources believed to be reliable, up-to-date, and is accurate to the best of our knowledge. However, UTILITY cannot give any guarantees regarding information from other sources, and expressly does not make warranties, nor assumes any liability for its use.